

OVERVIEW GB

TRENDS | 1.7

SIBU | DESIGN
we decorate.


LEATHER-LINE



LL Charcoal
Dark




LL Charcoal
Light



LL Dove Tale




LL Light Oyster



LL London Clay



LL Stony
Ground



LL Wimborne
White

SIBUGLAS



SG MARBLE
Alpine AR+




SG MARBLE
Black AR+



SG MARBLE
Brown AR+



SG MARBLE
Emperor
AR+



SG MARBLE
Grey AR+



SG MARBLE
White AR+


DECO-LINE



DM CERAMIC
Grey



DM CERAMIC
Brown



DM CERAMIC
Brown/Grey
brushed 8L



DM CEMENT
Dark



DM CEMENT
Light



DM CEMENT
Light/Grey
brushed 8L




DM MARBLE
White




DM Travertin



DM Classy
Silver AR




DM Classy
Bronze AR



DM Classy
Black AR



DM Classy
Gold AR




DM Classy
Copper AR




DM Classy
Silver



DM Classy
Bronze




DM Classy
Black



DM Iron Age
AR



DM Silent Gold
AR



DM LUXURY
Holografico

STRUCTURE-LINE



SL CRASHED
Mirror Silver

SIBU | DESIGN
we decorate.




□ LL Dove Tale

Photo: © istock.com



LL Charcoal Dark
2600 x 1000 / **NA** 19299 / **SA** 19302



LL Charcoal Light
2600 x 1000 / **NA** 19298 / **SA** 19301




LL Dove Tale
2600 x 1000 / **NA** 19013 / **SA** 19024



LL Light Oyster
2600 x 1000 / **NA** 19015 / **SA** 19026



LL London Clay
2600 x 1000 / **NA** 19014 / **SA** 19025



LL Stony Ground
2600 x 1000 / **NA** 19012 / **SA** 19023



LL Wimborne White
2600 x 1000 / **NA** 19300 / **SA** 19303

LEATHER-LINE

LEATHER-LINE

Product characteristics

	NA	SA
Base material	HIPS	
Surface material	PU-leather	
Material thickness mm	1,95	2,08
Temperature stability	up to 60 °C	
Wet room suitability	■■■■■	
Rolled packable	✓	✓

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing	✓	—
Laser cutting	✓	✓
Hot bending	✓	—
PVA compressible	✓	—
Smallest bending radius	150 mm	150 mm

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1270	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	✓	—

Accessories

SIBUKLE	Spatula A1
Profile groups	2 / 3 / 5

Special colors

On request

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).



□ SG MARBLE Alpine AR+

Photo: © fotolia.com



SG MARBLE Alpine AR+
2600 x 1000 / NA 19329 / SA 19340

SIBUGLAS

SG MARBLE Alpine AR+

Product characteristics

	NA	SA
Surface material	PMMA	
Back side material	Paper	
Material thickness mm	2,3	2,43
Temperature stability	up to 60 °C	
Wet room suitability	■■■■	
Abrasion resistance	■■■■■■■■	
Abrasion resistance after polishing	—	
Rolled packable	—	—

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	
Maximum width mm	1000	
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	—	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Processing

	NA	SA
Cutting, punching	—	—
Drilling	✓	✓
Sawing (supported by a panel)	✓	✓
Laser cutting	✓	✓
Hot bending	—	—
PVA compressible	✓	—
Smallest bending radius	1000 mm	1000 mm

Accessories

	NA	SA
SIBUKLE	Spatula A2	
Profile groups	3 / 5	

Special colors

	—	
--	---	--

2600 x 1000





SG MARBLE Black AR+
2600 x 1000 / NA 19330 / SA 19341

Photo: © istock.com

SIBUGLAS

SG MARBLE Black AR+

Product characteristics

	NA	SA
Surface material	PMMA	
Back side material	Paper	
Material thickness mm	2,3	2,43
Temperature stability	up to 60 °C	
Wet room suitability	■■■■	
Abrasion resistance	■■■■■■■■	
Abrasion resistance after polishing	—	
Rolled packable	—	—

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	
Maximum width mm	1000	
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	—	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Processing

	NA	SA
Cutting, punching	—	—
Drilling	✓	✓
Sawing (supported by a panel)	✓	✓
Laser cutting	✓	✓
Hot bending	—	—
PVA compressible	✓	—
Smallest bending radius	1000 mm	1000 mm

Accessories

	NA	SA
SIBUKLE	Spatula A2	
Profile groups	3 / 5	

Special colors

	—	
--	---	--

2600 x 1000





□ SG MARBLE Brown AR+

Photo: © istock.com



SG MARBLE Brown AR+
2600 x 1000 / NA 19331 / SA 19342

SIBUGLAS

SG MARBLE Brown AR+

Product characteristics

	NA	SA
Surface material	PMMA	
Back side material	Paper	
Material thickness mm	2,3	2,43
Temperature stability	up to 60 °C	
Wet room suitability	■■■■	
Abrasion resistance	■■■■■■■■	
Abrasion resistance after polishing	—	
Rolled packable	—	—

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	
Maximum width mm	1000	
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	—	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Processing

	NA	SA
Cutting, punching	—	—
Drilling	✓	✓
Sawing (supported by a panel)	✓	✓
Laser cutting	✓	✓
Hot bending	—	—
PVA compressible	✓	—
Smallest bending radius	1000 mm	1000 mm

Accessories

	NA	SA
SIBUKLE	Spatula A2	
Profile groups	3 / 5	

Special colors

	—	
--	---	--

2600 x 1000





□ SG MARBLE Emperador AR+

Photo: © istock.com



SG MARBLE Emperador AR+
2600 x 1000 / NA 19332 / SA 19343

SIBUGLAS

SG MARBLE Emperador AR+

2600 x 1000

Product characteristics

	NA	SA
Surface material	PMMA	
Back side material	Paper	
Material thickness mm	2,3	2,43
Temperature stability	up to 60 °C	
Wet room suitability *	■■■■	
Abrasion resistance	■■■■■■■■	
Abrasion resistance after polishing	—	
Rolled packable	—	—

Processing

	NA	SA
Cutting, punching	—	—
Drilling	✓	✓
Sawing (supported by a panel)	✓	✓
Laser cutting	✓	✓
Hot bending	—	—
PVA compressible	✓	—
Smallest bending radius	1000 mm	1000 mm

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	
Maximum width mm	1000	
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	—	—

Accessories

	NA	SA
SIBUKLE	Spatula A2	
Profile groups	3 / 5	

Special colors

	—	
--	---	--

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).





SG MARBLE Grey AR+

Photo: © shutterstock.com



SG MARBLE Grey AR+
2600 x 1000 / NA 19333 / SA 19344

SIBUGLAS

SG MARBLE Grey AR+

2600 x 1000

Product characteristics

	NA	SA
Surface material	PMMA	
Back side material	Paper	
Material thickness mm	2,3	2,43
Temperature stability	up to 60 °C	
Wet room suitability	■■■■	
Abrasion resistance	■■■■■■■	
Abrasion resistance after polishing	—	
Rolled packable	—	—

Processing

	NA	SA
Cutting, punching	—	—
Drilling	✓	✓
Sawing (supported by a panel)	✓	✓
Laser cutting	✓	✓
Hot bending	—	—
PVA compressible	✓	—
Smallest bending radius	1000 mm	1000 mm

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	
Maximum width mm	1000	
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	—	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Accessories

	NA	SA
SIBUKLE	Spatula A2	
Profile groups	3 / 5	

Special colors

	—
--	---



SG MARBLE White AR+
2600 x 1000 / NA 19334 / SA 19345

Photo: © fotolia.com

SIBUGLAS

SG MARBLE White AR+

Product characteristics

	NA	SA
Surface material	PMMA	
Back side material	Paper	
Material thickness mm	2,3	2,43
Temperature stability	up to 60 °C	
Wet room suitability	■■■■	
Abrasion resistance	■■■■■■■■	
Abrasion resistance after polishing	—	
Rolled packable	—	—

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	
Maximum width mm	1000	
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	—	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Processing

	NA	SA
Cutting, punching	—	—
Drilling	✓	✓
Sawing (supported by a panel)	✓	✓
Laser cutting	✓	✓
Hot bending	—	—
PVA compressible	✓	—
Smallest bending radius	1000 mm	1000 mm

Accessories

	NA	SA
SIBUKLE	Spatula A2	
Profile groups	3 / 5	

Special colors

	—
--	---

2600 x 1000





□ DM CERAMIC Brown



Photo: © istock.com



PR+*

DM CERAMIC Brown
2600 x 1000 / NA 19089 / SA 19093



PR+*

DM CERAMIC Grey
2600 x 1000 / NA 19392 / SA 19395

DECO-LINE

DM CERAMIC

2600 x 1000

Product characteristics

	NA	SA
Base material	HIPS	
Surface material	impregnated paper	
Material thickness mm	1,3	1,43
Temperature stability	up to 60 °C	
Wet room suitability	■■■□	
Abrasion resistance	■■■□□□	
Rolled packable **	✓	✓

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1220	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets ***	✓	
PVA pre-treatment	✓	—

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	✓	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	150 mm	150 mm

Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5

Special colors

—

* Prior to printing a corona or plasma treatment has to be carried out. By request available in pre-treated version.
 ** Design sheets are to be rolled with the patterned side on the inside (applies for both the NA and SA versions).
 We recommend that not more than 3 sheets be rolled per carton (480 x 480 mm).
 *** Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).



□ DM CERAMIC Brown/Grey brushed 8L

DM CERAMIC Brown/Grey brushed 8L
2600 x 1000 / NA 19097 / SA 19102

Photo: © istock.com

DECO-LINE

DM CERAMIC Brown/ Grey brushed 8L

2600 x 1000



Product characteristics

	NA	SA
Base material	HIPS	
Surface material	impregnated paper	
Material thickness mm	1,3	1,43
Temperature stability	up to 60 °C	
Wet room suitability	■■■□	
Abrasion resistance	■■■□□□	
Rolled packable **	✓	✓

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1220	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets ***	✓	
PVA pre-treatment	✓	—

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	✓	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	150 mm	150 mm

Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5

Special colors

—

* Prior to printing a corona or plasma treatment has to be carried out. By request available in pre-treated version.
** Design sheets are to be rolled with the patterned side on the inside (applies for both the NA and SA versions).
We recommend that not more than 3 sheets be rolled per carton (480 x 480 mm).
*** Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).



□ DM CEMENT Dark

Photo: © shutterstock.com



PR+*

DM CEMENT Dark
2600 x 1000 / NA 19088 / SA 19092

DECO-LINE

DM CEMENT Dark

2600 x 1000



Product characteristics

	NA	SA
Base material	HIPS	
Surface material	impregnated paper	
Material thickness mm	1,3	1,43
Temperature stability	up to 60 °C	
Wet room suitability	■■■■□	
Abrasion resistance	■■■■□□	
Rolled packable **	✓	✓

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1220	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets ***	✓	
PVA pre-treatment	✓	—

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	✓	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	150 mm	150 mm

Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5

Special colors

—

* Prior to printing a corona or plasma treatment has to be carried out. Upon request available in pre-treated version.

** Design sheets are to be rolled with the patterned side on the inside (applies for both the NA and SA versions).

We recommend that not more than 3 sheets be rolled per carton (480 x 480 mm).

*** Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).



□ DM CEMENT Light




PR+*

DM CEMENT Light
2600 x 1000 / NA 19087 / SA 19091

DECO-LINE

DM CEMENT Light

2600 x 1000



Product characteristics

	NA	SA
Base material	HIPS	
Surface material	impregnated paper	
Material thickness mm	1,2	1,33
Temperature stability	up to 60 °C	
Wet room suitability	■■■■□	
Abrasion resistance	■■■■■□	
Rolled packable **	✓	✓

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	✓	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	150 mm	150 mm

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1220	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets ***	✓	
PVA pre-treatment	✓	—

Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5

Special colors

—

* Prior to printing a corona or plasma treatment has to be carried out. Upon request available in pre-treated version.
** Design sheets are to be rolled with the patterned side on the inside (applies for both the NA and SA versions).
*** We recommend that not more than 3 sheets be rolled per carton (480 x 480 mm).
*** Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).



□ DM CEMENT Light/Grey brushed 8L



DM CEMENT Light/Grey brushed 8L
2600 x 1000 / NA 19098 / SA 19103

DECO-LINE

DM CEMENT Light/ Grey brushed 8L

Product characteristics

	NA	SA
Base material	HIPS	
Surface material	impregnated paper	
Material thickness mm	1,2	1,33
Temperature stability	up to 60 °C	
Wet room suitability	■■■■□	
Abrasion resistance	■■■■■□	
Rolled packable *	✓	✓

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1220	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets **	✓	
PVA pre-treatment	✓	—

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	✓	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	150 mm	150 mm


Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5

Special colors

—

2600 x 1000



* Design sheets are to be rolled with the patterned side on the inside (applies for both the NA and SA versions).
We recommend that not more than 2 sheets be rolled per carton (480 x 480 mm).

** Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).



PR+*

DM MARBLE White
2600 x 1000 / NA 19327 / SA 19338

□
DM MARBLE White

Photo: © fotolia.com

DECO-LINE

DM MARBLE White

2600 x 1000



Product characteristics

	NA	SA
Base material	HIPS	
Surface material	impregnated paper	
Material thickness mm	1,3	1,43
Temperature stability	up to 60 °C	
Wet room suitability	■■■■□	
Abrasion resistance	■■■■■□	
Rolled packable **	✓	✓

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1220	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets ***	✓	
PVA pre-treatment	✓	—

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	✓	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	150 mm	150 mm

Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5

Special colors

—

* Prior to printing a corona or plasma treatment has to be carried out. Upon request available in pre-treated version.

** Design sheets are to be rolled with the patterned side on the inside (applies for both the NA and SA versions).

We recommend that not more than 3 sheets be rolled per carton (480 x 480 mm).

*** Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).



□
DM Travertin



PR+*

DM Travertin
2600 x 1000 / NA 19328 / SA 19339

Photo: © fotolia.com

DECO-LINE

DM Travertin

2600 x 1000

Product characteristics

	NA	SA
Base material	HIPS	
Surface material	impregnated paper	
Material thickness mm	1,3	1,43
Temperature stability	up to 60 °C	
Wet room suitability	■■■■□	
Abrasion resistance	■■■■□□	
Rolled packable **	✓	✓

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	✓	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	150 mm	150 mm

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1220	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets***	✓	
PVA pre-treatment	✓	—

Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5

Special colors

—

* Prior to printing a corona or plasma treatment has to be carried out. Upon request available in pre-treated version.
 ** Design sheets are to be rolled with the patterned side on the inside (applies for both the NA and SA versions).
 ** We recommend that not more than 3 sheets be rolled per carton (480 x 480 mm).
 *** Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).



Photo: © fotolia.com



DM Classy Silver AR
2600 x 1000 / NA 19326 / SA 19337



DM Classy Bronze AR
2600 x 1000 / NA 19011 / SA 19022



DM Classy Copper AR
2600 x 1000 / NA 19199 / SA 19207



DM Classy Gold AR
2600 x 1000 / NA 19010 / SA 19021



DM Classy Black AR
2600 x 1000 / NA 19325 / SA 19336



DECO-LINE **abrasion-resistant**

DM Classy AR

Product characteristics

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness mm	1,0	1,13
Temperature stability	up to 60 °C	
Wet room suitability	■■■■□	
Abrasion resistance	■■■■■■■	
Rolled packable	✓	✓

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1250	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	✓	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	—	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	150 mm	150 mm

Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5

Special colors

—



Photo: © istock.com

□
DM Classy Black



DM Classy Silver
2600 x 1000 / NA 19391 / SA 19394



DM Classy Bronze
2600 x 1000 / NA 19396 / SA 19397



DM Classy Black
2600 x 1000 / NA 19390 / SA 19393

DECO-LINE

DM Classy

Product characteristics

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness mm	1,0	1,13
Temperature stability	up to 60 °C	
Wet room suitability	■■■■□	
Abrasion resistance	■■■■■■□	
Rolled packable	✓	✓

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1250	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	✓	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	✓	—
Thermoforming	✓	—
PVA compressible	✓	—
Smallest bending radius	150 mm	150 mm

Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5

Special colors

On request

2600 x 1000





Photo: © fotolia.com



DM Iron Age AR
2600 x 1000 / NA 19201 / SA 19209

DECO-LINE abrasion-resistant

DM Iron Age AR

2600 x 1000

Product characteristics

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness mm	1,0	1,13
Temperature stability	up to 60 °C	
Wet room suitability	■■■■□	
Abrasion resistance	■■■■■■■	
Rolled packable	✓	✓

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1250	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	✓	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	—	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	150 mm	150 mm

Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5

Special colors

—





□
DM Silent Gold AR



FR
PR+

DM Silent Gold AR
2600 x 1000 / NA 19200 / SA 19208

DECO-LINE abrasion-resistant

DM Silent Gold AR

2600 x 1000



Product characteristics

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness mm	1,0	1,13
Temperature stability	up to 60 °C	
Wet room suitability	■■■■□	
Abrasion resistance	■■■■■■■	
Rolled packable	✓	✓

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	—	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	150 mm	150 mm

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1250	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	✓	—


Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5

Special colors

—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).



PR+

DM LUXURY Holografico
2600 x 1000 / NA 19009 / SA 19020



□ DM LUXURY Holografico

Photo: © istock.com

DECO-LINE

DM LUXURY Holografico

Product characteristics

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness mm	1,0	1,13
Temperature stability	up to 60 °C	
Wet room suitability	■■■□	
Abrasion resistance	■■■□□□	
Rolled packable	✓	✓

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1220	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	✓	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	✓	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	150 mm	150 mm

Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5

Special colors

—

2600 x 1000



+ ▼



□ SL CRASHED
Mirror Silver



FR
PR

SL CRASHED Mirror Silver
2600 x 1000 / NA 19335 / SA 19346

Photo: © fotolia.com

STRUCTURE-LINE

SL CRASHED Mirror Silver

2600 x 1000



Product characteristics

	NA	SA
Base material	HIPS	
Surface material	PET	
Material thickness mm	1,0	1,13
Max. relief height mm	2,4	2,64
Temperature stability	up to 60 °C	
Wet room suitability	■■■■□	
Abrasion resistance	■■■■□□□	
Rolled packable	✓	✓

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	✓	—
PVA compressible	✓	—
Smallest bending radius	150 mm	150 mm

Extra equipment

	NA	SA
Special formats	—	
Further thicknesses	—	—
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	✓	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Accessories

SIBUKLE	Spatula A2
Profile groups	3 / 5

Special colors

On request

NA

non-adhesive

SA

strongly adhesive

FR

flame-retardant
version available on request

PR

digital printing possible

PR+

digital/screen printing possible

PR+*

digital/screen printing possible
Prior to printing a corona or plasma
treatment has to be carried out.
By request available in pre-treated version.



wet room suitability



limited suitability for wet rooms

AR

abrasion-resistant

AR+

scratch-resistant

+ ▼

entire panel length not shown in image

SIBU | DESIGN
we decorate.

SIBU DESIGN GmbH & CoKG
Jupiterstraße 8 - 4452 Ternberg - Austria - Tel.: +43 (0) 7256.6025.0
Fax: +43 (0) 7256.7020 - E-mail: info@sibu.at - www.sibu.at

SIBU|DESIGN_1016_GB